

Application Note 0012

Table of Contents

1. GEN III 8X8mm PQFN TAPE & REEL INFORMATION	3
Part I: Product Orientation	3
Part II: Carrier Tape Dimension	3
Part III: Reel Dimension	4
Part IV: Box Size	5
Part V: Package POD for LDG Version.....	6
Part VI: Package POD for LSG Version & Laser Marking Sample.....	7
Part VII: Tape and Reel Packing Information	8
Part VIII: Internal Shipping Box Information	9
Part IX: External Shipping Box Information	10
2. GEN IV 8X8mm PQFN TAPE & REEL INFORMATION	12
Part I: Performance Product Orientation	12
Part II: Industry Standard Product Orientation.....	12
Part III: Carrier Tape Dimension	13
Part IV: Reel Dimension	14
Part V: Box Size	15
Part VI: Package POD for Performance Version & Laser Marking Sample	16
Part VII: Package POD for Industry Standard Version & Laser Marking.....	17
Part VIII: Tape and Reel Packaging Information	18
Part IX: Internal Shipping Box Information.....	18
Part X: External Shipping Box Information	19
3. GEN IV 5X6mm PQFN TAPE & REEL INFORMATION	21
Part I: Performance Product Orientation	21
Part II: Industry Standard Product Orientation.....	21
Part III: Carrier Tape Dimension	22
Part IV: Reel Dimension	23
Part V: Box Size	24
Part VI: Package POD for Performance Version & Laser Marking Sample	25
Part VII: Package POD for Industry Standard LSGB Version & Laser Marking	26
Part VIII: Tape and Reel Packing Information	27


Application Note 0012

Part IX: Internal Shipping Box Information.....	27
Part X: External Shipping Box Information	28
4. TO-220 Shipping Information.....	30
Part I: Shipping Tube	30
Part II: Tube Quantity	31
Part III: Box Size.....	32
Part IV: Internal Shipping Box Information	32
Part V: External Shipping Box Information	33
Part VI: Assembly Lot Number Information.....	35
5. TO-247 Shipping Information.....	36
Part I: Shipping Tube	36
Part II: Tube Quantity	37
Part III: Box Size.....	38
Part IV: Internal Shipping Box Information	38
Part V: External Shipping Box Information	38
Part VI: Assembly Lot Number Information.....	41
6. TOLL TAPE & REEL INFORMATION	42
Part I: Product Orientation	42
Part II: Carrier Tape Dimension	43
Part III: Reel Dimension	44
Part IV: Box Dimension	45
Part V: Package POD.....	46
Part VI: Tape and Reel Packing Information	47
Part VII: Internal Shipping Box Information	47
Part VIII: External Shipping Box Information	48

Application Note 0012


1. GEN III 8X8mm PQFN TAPE & REEL INFORMATION

Part I: Product Orientation



- Leader Empty Pockets: 400mm / 15.75" min
- Trailer Empty Pockets: 160mm / 6.30" min
- Quantity per Reel: 500pcs

Part II: Carrier Tape Dimension



$A_o = 8.40$
 $B_o = 8.40$
 $K_o = 2.40$


Notes:

- 10 Sprocket Hole pitch cumulative tolerance ± 0.2
- Camber in compliance with EIA 481
- Pocket position relative to Sprocket Hole measured as true position of Pocket not Pocket Hole

Application Note 0012

Part III: Reel Dimension

- Reel Size: 178mm




TAPE WIDTH	W1 (NOMINAL)	W2 (MAXIMUM)	W3 (MAXIMUM)
8mm (0.315)	8.4 (0.331)	14.4 (0.567)	10.9 (0.429)
12mm (0.472)	12.4 (0.488)	18.4 (0.724)	15.4 (0.606)
16mm (0.629)	16.4 (0.646)	22.4 (0.882)	19.4 (0.764)
24mm (0.945)	24.4 (0.961)	30.4 (1.197)	27.4 (1.079)
32mm (1.260)	32.4 (1.276)	38.4 (1.512)	35.4 (1.394)
44mm (1.732)	44.4 (1.748)	50.4 (1.984)	47.4 (1.866)

Dimensions are in millimeters (inches are in brackets for reference only).

Application Note 0012



Part IV: Box Size



Dimensions are in millimeters (inches are in brackets for reference only).

Application Note 0012

Part V: Package POD for LDG Version




G: Gate
S: Source
D: Drain
Lead finish: Sn plating

DIM	mm		inch	
	min	max	min	max
A	1.73	1.97	0.068	0.078
b	2.90	3.10	0.114	0.122
c	0.10	0.30	0.004	0.012
D	7.90	8.10	0.311	0.319
D1	7.11	7.37	0.280	0.290
E	7.90	8.10	0.311	0.319
E1	4.18	4.44	0.165	0.175
E2	2.40	2.60	0.094	0.102
E3/D2	0.28	0.48	0.011	0.019
D3	0.45	0.55	0.018	0.022
e	4.00 (BSC)		0.157 (BSC)	
L	0.76	0.86	0.030	0.034


PQFN 8mm x 8mm POD (TPHxxxxLDG)

Application Note 0012

Part VI: Package POD for LSG Version & Laser Marking Sample



Laser Marking Sample



TOP MARKING (LASER)

Application Note 0012

Part VII: Tape and Reel Packing Information



Tape and Reel Shielding Bag

- 500units/reel
- Maximum 1 reel/box
- Place Tape and Reel inside moisture barrier bag
- Seal moisture bag

•


Application Note 0012

Part VIII: Internal Shipping Box Information



Internal Shipping Box

- Tape internal box closed using ESD Label.
- Place Internal Shipping Label.



Internal Shipping Box Label

CPN: Customer Part Number

MPN: Transphorm Part Number

Lot #: Assembly Lot Number

QTY: Quantity contained inside the box

D/C: Date Code

Job #: Tape and Reel job number

Date T&R: Bag seal date

Application Note 0012

Part IX: External Shipping Box Information



External Shipping Box

- Internal Shipping Boxes inside External Shipping Box.
- Number of Internal Boxes ranges from 3 to 5.
- Place External Shipping Label.

External Shipping Box Label

From: Transphorm, Inc. 115 Castilian Drive Goleta, CA 93117	
To: Customer Name Customer Address Line 1 Customer Address Line 2 City & Zip Code ATTN: Customer Name Attention TO Customer ATTN TO phone number	
Customer PO:  CUSTOMER 123-A	
Customer P/N:  HEMT-120	
QTY:  1000	
Transphorm P/N:  TPH3205WS	
	<u>Country of Origin</u> PH
<u>Package Count</u> X of X	<u>Package Weight</u> x.x lbs / x.xx kg

From: Transphorm shipping address

To: Customer name, address attention to, and phone number

Customer PO: Customer Purchase Order Number

Customer P/N: Customer Part Number

Quantity: Total product quantity contain in external shipping box

Transphorm P/N: Transphorm Product Number

Country of Origin: Country of Origin where product was manufactured

Package Count: Number of External Shipping Boxes contained in shipment

Package Weight: Weight of packed External Shipping Box


Application Note 0012

Shipping Box Size and Weight				
Shipment	Units	Weight	Size	Comments
1 box	500pcs	0.8 (lbs) 0.363 (kgs)		FedEx Shipping box
3 boxes	1500pcs	2.4 (lbs) 1.09 (kgs)	12 in x 12 in x 12 in 304.8mm x 304.8mm x 304.8mm	
4 boxes	2000pcs	3.2 (lbs 1.45 (kgs))	12 in x 12 in x 12 in 304.8mm x 304.8mm x 304.8mm	
5 boxes	2500pcs	4.0 (lbs) 1.81 (kgs)	12 in x 12 in x 12 in 304.8mm x 304.8mm x 304.8mm	

Application Note 0012


2. GEN IV 8X8mm PQFN TAPE & REEL INFORMATION

Part I: Performance Product Orientation



- Leader Empty Pockets: 77
- Trailer Empty Pockets: 37
- Quantity per Reel: 3,000pcs

Part II: Industry Standard Product Orientation




- Leader Empty Pockets: 77
- Trailer Empty Pockets: 37
- Quantity per Reel: 3,000pcs

Application Note 0012

Part IV: Reel Dimension

- Reel Size: 330mm



PRODUCT NAME	U-PAK P/N	W1	W2 (Max)	E	F	G	H	I
13" 100*12mm Plastic Reel	MUR-223-BX	12.40 ^{+2.0} _{-0.8}	18.40	130 ± 1.0	5 ± 1.0	8 ± 1.0	25 ± 1.0	0.4 ± 0.5

Color based on customer requirement.

Material: HIPS (High Impact Polystyrene)

Need Ultrasonic Welding.


Surface Resistance: $10^9 \sim 10^{11} \Omega/\square$

All dimensions in millimeters unless otherwise specified.

Text with ARIAL font style.

Application Note 0012


Part V: Box Size




Dimensions are in millimeter (inches are in brackets for reference only)

Application Note 0012

Part VI: Package POD for Performance Version & Laser Marking Sample




Laser Marking Sample




Application Note 0012

Part VII: Package POD for Industry Standard Version & Laser Marking



Laser Marking Sample



Application Note 0012

Part VIII: Tape and Reel Packaging Information



Tape and Reel Shielding Bag


- 3,000units/reel
- Maximum 1 reel/box
- Place Tape and Reel inside moisture barrier bag
- Seal moisture bag

Part IX: Internal Shipping Box Information



Internal Shipping Box

- Tape internal box closed using ESD Label
- Place Internal Shipping Label



Internal Shipping Box Label

Supplier P/N: Transphorm Part Number

Quantity: Quantity contained inside the box

Date Code: YYWW

Lot Code: Assembly Lot Number

COO: Country of Origin

2D Barcode: Above information encoded

Application Note 0012

Part X: External Shipping Box Information



External Shipping Box

- Internal Shipping Boxes inside External Shipping Box
- Number of Internal Boxes ranges from 2 to 6
- Place External Shipping Label

External Shipping Box Label

From : Transphorm shipping address

To : Customer name, Attention TO, and address number

PO Number : Customer Purchase Order Number

Supplier Part Number : Transphorm Part Number

Quantity : Total product quantity contain in external shipping box

Package ID : Transphorm Assigned Number

Date Code: YYWW

Lot Code: Assembly Lot Number

COO: Country of Origin

2D Barcode: Above information encoded

FROM: Transphorm, Inc. 75 Castilian Drive Goleta, CA 93117	TO: Customer Name ATTN: Attention TO Customer Address Line 1 Customer Address Line 2 City & Zip Code
(K) PO Number: Sample 	
(1P) Supplier Part Number: TP65HboxG4LSG 	
(Q) Quantity: 3000 	
(4S) Package ID: SO-1288 	
(10D) Data Code: 1452 	(4L) COO: US 
(1T) Lot Code: B9A028 	
 SuperGaN™ FET, 650V, PQFN88	
	


Application Note 0012

Shipping Box Size and Weight				
Shipment	Units	Weight	Size	Comments
1 box	3,000pcs	3.13 (lbs) 1.42 (kgs)		FedEx Shipping box
3 boxes	9,000pcs	9.39 (lbs) 4.26 (kgs)	15.25 in x 13.5 in x 15.5 in 387.35 mm x 342.9mm x 393.7mm	
4 boxes	12,000pcs	12.52 (lbs) 5.68 (kgs)	15.25 in x 13.5 in x 15.5 in 387.35 mm x 342.9mm x 393.7mm	
5 boxes	15,000pcs	15.65 (lbs) 7.10 (kgs)	15.25 in x 13.5 in x 15.5 in 387.35 mm x 342.9mm x 393.7mm	
6-boxes	18,000pcs	18.78 (lbs) 8.52 (kgs)	15.25 in x 13.5 in x 15.5 in 387.35 mm x 342.9mm x 393.7mm	

Application Note 0012


3. GEN IV 5X6mm PQFN TAPE & REEL INFORMATION

Part I: Performance Product Orientation



- Leader Empty Pockets: 85
- Trailer Empty Pockets: 40
- Quantity per Reel: 4,000pcs


Part II: Industry Standard Product Orientation



- Leader Empty Pockets: 85
- Trailer Empty Pockets: 40
- Quantity per Reel: 4,000pcs

Application Note 0012

Part III: Carrier Tape Dimension



Ao = 5.30

Bo = 6.30

Ko = 1.20


Notes:

- 10 Sprocket Hole pitch cumulative tolerance ±0.2
- Camber in compliance with EIA 481
- Pocket position relative to Sprocket Hole measured as true position of Pocket not Pocket Hole

Application Note 0012

Part IV: Reel Dimension

- Reel Size: 330mm




PRODUCT NAME	U-PAK P/N	W1	W2 (Max)	E	F	G	H	I
13" 100*12mm Plastic Reel	MUR-223-BX	12.40 ^{+2.0} / _{-0.8}	18.40	130 ± 1.0	5 ± 1.0	8 ± 1.0	25 ± 1.0	0.4 ± 0.5

Color based on customer requirement.
 Material: HIPS (High Impact Polystyrene)
 Need Ultrasonic Welding.
 Surface Resistance: $10^9 \sim 10^{11} \Omega/\square$
 All dimensions in millimeters unless otherwise specified.
 Text with ARIAL font style.

Application Note 0012


Part V: Box Size




Dimensions are in millimeter (inches are in brackets for reference only)

Application Note 0012

Part VI: Package POD for Performance Version & Laser Marking Sample





Laser Marking Sample



Application Note 0012

Part VII: Package POD for Industry Standard LSGB Version & Laser Marking




DIM	mm			inch		
	MIN	NOM	MAX	MIN	NOM	MAX
A	0.90	1.00	1.10	0.035	0.039	0.043
A1	0.00	-	0.05	0.000	-	0.002
A3	0.20 REF.			0.007 BSC		
b	0.45	0.50	0.55	0.018	0.020	0.022
D	4.90	5.00	5.10	0.193	0.197	0.201
D2	4.15	4.30	4.45	0.163	0.169	0.175
E	5.90	6.00	6.10	0.232	0.236	0.240
e	1.27 BSC			0.133 BSC		
E2	2.05	2.20	2.35	0.081	0.087	0.093
K1	0.50	-	-	0.020	-	-
K2	1.90	-	-	0.075	-	-
L	0.80	0.70	0.80	0.024	0.028	0.031

PQFN 5mm x 6mm POD (TP65HxxxG4JSB)

Note: P/N TP65H150BG4JSB is following this exact POD

Laser Marking Sample



Application Note 0012

Part VIII: Tape and Reel Packing Information



Tape and Reel Shielding Bag


- 4,000units/reel
- Maximum 1 reel/box
- Place Tape and Reel inside moisture barrier bag
- Seal moisture bag

Part IX: Internal Shipping Box Information



Internal Shipping Box

- Tape internal box closed using ESD Label.
- Place Internal Shipping Label.



Internal Shipping Box Label

Supplier P/N: Transphorm Part Number

Quantity: Quantity contained inside the box

Date Code: YYWW

Lot Code: Assembly Lot Number

COO: Country of Origin

2D Barcode: Above information encoded

Application Note 0012

Part X: External Shipping Box Information



External Shipping Box

- Internal Shipping Boxes inside External Shipping Box
- Number of Internal Boxes ranges from 2 to 6
- Place External Shipping Label

External Shipping Box Label

From : Transphorm shipping address

To : Customer name, Attention TO, and address number

PO Number : Customer Purchase Order Number

Supplier Part Number : Transphorm Part Number

Quantity : Total product quantity contain in external shipping box




Package ID : Transphorm Assigned Number

Date Code: YYWW

Lot Code: Assembly Lot Number

COO: Country of Origin

2D Barcode: Above information encoded

FROM: Transphorm, Inc. 75 Castilian Drive Goleta, CA 93117	TO: Customer Name ATTN: Attention TO Customer Address Line 1 Customer Address Line 2 City & Zip Code
(K) PO Number: Sample 	
(1P) Supplier Part Number: TP65HxxxG4JSG 	
(Q) Quantity: 4000 	
(4S) Package ID: SO-1288 	
(10D) Data Code: 1452 	(4L) COO: US 
(1T) Lot Code: B9A028 	
	

Application Note 0012


Shipping Box Size and Weight				
Shipment	Units	Weight	Size	Comments
1 box	4,000pcs	2.47 (lbs) 1.12 (kgs)		FedEx Shipping box
3 boxes	12,000pcs	7.41 (lbs) 3.36 (kgs)	15.25 in x 13.5 in x 15.5 in 387.35 mm x 342.9mm x 393.7mm	
4 boxes	16,000pcs	9.88 (lbs) 4.48 (kgs)	15.25 in x 13.5 in x 15.5 in 387.35 mm x 342.9mm x 393.7mm	
5 boxes	20,000pcs	12.35 (lbs) 5.60 (kgs)	15.25 in x 13.5 in x 15.5 in 387.35 mm x 342.9mm x 393.7mm	
6-boxes	24,000pcs	14.82 (lbs) 6.72 (kgs)	15.25 in x 13.5 in x 15.5 in 387.35 mm x 342.9mm x 393.7mm	

4. T0-220 Shipping Information

Part I: Shipping Tube


Tubes

Length = 21 Inches



End Plug


Color = Black



Application Note 0012

Part II: Tube Quantity

- 50 units per tube.




- Maximum tube per anti-static shielding bag and inner box is 20 tubes or 1000 units per inner box.



Application Note 0012

Part III: Box Size




Dimensions are in millimeter (inches are in brackets for reference only)

Part IV: Internal Shipping Box Information

Internal Shipping Box

- Tape internal box closed using ESD Label.
- Place Internal Shipping Label.



Application Note 0012

Internal Shipping Box Label

Transphorm, Inc.	
CUST: "Customer Name"	
CUST P/N:	EM-HEMT120
CUST PO:	CUSTOMER 123-A
Transphorm P/N:	TPH2006PS
D/C:	4210
Lot:	011000001-1
QTY:	1000
COO: PH	

Description:

Size: 4" x 2"

CUST: "Customer Name"

CUST P/N: "Customer Part Number"

Transphorm P/N: "Transphorm Part Number"

D/C: "Date Code"

QTY: "Quantity unit contained in inner box"

COO: "Country of Origin"

Part V: External Shipping Box Information

External Shipping Box

- Bubble sheets on bottom and on both sides of the master box then place 6 inner boxes inside the master box.
- For 4 inner boxes or less, use small master box.
- Master box shipping label as shown below and seal the master box following the standard operating procedure.



From:	Transphorm, Inc. 115 Canby Drive Galesburg, CA 93117
To:	Customer Name Customer Address Line 1 Customer Address Line 2 City & ZIP Code Country
ATTN:	Customer Attention TO Customer ATTN TO phone number
Customer PO:	CUSTOMER 123-A
Customer P/N:	EM-HEMT120
Quantity:	1000
Transphorm P/N:	TPH2006PS
Country of Origin PH	
Package Count 1 of 1	Package Weight 1.1 lbs / 0.5 kg
PHD Ship: 100001 Invoice: 2100006 Customer: Customer Name	Tracking: 7342 3456 9012 Ship Date: 1/15/11

Application Note 0012

External Shipping Box Label

From: Transphorm, Inc. 115 Castilian Drive Goleta, CA 93117	
To: Customer Name Customer Address Line 1 Customer Address Line 2 City & ZIP Code Country ATTN: Customer Attention TO Customer ATTN TO phone number	
Customer PO:  CUSTOMER 123-A	
Customer P/N:  EM-HEMT120	
Quantity:  1000	
Transphorm P/N:  TPH2006PS	
Country of Origin PH	
Package Count x of x	Package Weight x.x lbs / x.xx kg
PKG Slip: 100007 Invoice: S100008 Customer: Customer Name	
Tracking: 7342 3458 9572 Ship Date: 1/15/11	

Description:

Size: 4" x 6"

From: Transphorm Shipping address

To: Customer name, address attention to and phone number

Customer PO: Customer Purchase Order Number

Customer P/N: Customer Part Number

Quantity: Total product quantity contains in external shipping box

Transphorm P/N: Transphorm Product Number

Country of Origin: Country of Origin where product was manufactured.


Package Count: Number of External Shipping boxes contained in shipment

Package Weight: Weight of packed External Shipping Box

Application Note 0012

Shipment	Units	Weight	Size	Comments
1pack	1000pcs	2.99 (kgs) 6.61(lb)	575mm X 140mm X 73mm 22.6 in x 5.51in x 2.87 in	one inner box
2packs	2000pcs	6.7 (kgs) 14.77(lb)	610mm x 310mm x 190mm 24 in x 12.2 in x 7.5 in	master box with two inner boxes
4packs	4000pcs	12.25 (kgs) 27.00(lb)	610mm x 310mm x 190mm 24 in x 12.2 in x 7.5 in	master box with four inner boxes
6packs	6000pcs	18.24 (kgs) 40.21(lb)	610mm x 310 mm x 340mm 24 in x 12.2 in x 13.4 in	master box with six inner boxes

Part VI: Assembly Lot Number Information





5. T0-247 Shipping Information

Part I: Shipping Tube


Tubes

Length = 21 Inches



End Plug

Color = Black



Application Note 0012

Part II: Tube Quantity

- 30 units per tube.



- Maximum tube per anti-static shielding bag and inner box is 15 tubes or 450 units per inner box.



Application Note 0012

Part III: Box Size




Dimensions are in millimeter (inches are in brackets for reference only)

Part IV: Internal Shipping Box Information

Internal Shipping Box

- Tape internal box closed using ESD Label.
- Place Internal Shipping Label.



Part V: External Shipping Box Information

Application Note 0012

External Shipping Box

- Bubble sheets on bottom and on both sides of the master box then place 6 inner boxes inside the master box.
- For 4 inner boxes or less, use small master box.
- Master box shipping label as shown below and seal the master box following the standard operating procedure.



From: Transphorm, Inc. 115 Castilian Drive Golds, CA 93117	
To: Customer Name Customer Address Line 1 Customer Address Line 2 City & ZIP Code Country	
ATTN: Customer Attention TO Customer A1119 10 phone number	
Customer PO:  CUSTOMER1234	
Customer P/N:  EMHEMT123	
Quantity:  500	
Transphorm P/N:  17400001	
Country of Origin PH	
Package Count x of x	Package Weight x.x lbs / x.xx kg
Pkg Ship: 100001 Tracking: 7342 3456 9072 Invoice: 0100008 Ship Date: 1/15/17 Customer: Customer Name	

Application Note 0012

External Shipping Box Label

From: Transphorm, Inc. 115 Castilian Drive Goleta, CA 93117	
To: Customer Name Customer Address Line 1 Customer Address Line 2 City & ZIP Code Country ATTN: Customer Attention TO Customer ATTN TO phone number	
Customer PO:  CUSTOMER 123-A	
Customer P/N:  EM-HEMT120	
Quantity:  1000	
Transphorm P/N:  TPH2006PS	
Country of Origin PH	
Package Count x of x	Package Weight x.x lbs / x.xx kg
PKG Slip: 100007 Invoice: S100008 Customer: Customer Name	
Tracking: 7342 3458 9572 Ship Date: 1/15/11	

Description:

Size: 4" x 6"

From: Transphorm Shipping address

To: Customer name, address attention to and phone number

Customer PO: Customer Purchase Order Number

Customer P/N: Customer Part Number

Quantity: Total product quantity contains in external shipping box

Transphorm P/N: Transphorm Product Number

Country of Origin: Country of Origin where product was manufactured.


Package Count: Number of External Shipping boxes contained in shipment

Package Weight: Weight of packed External Shipping Box

Application Note 0012


Shipment	Units	Weight	Size	Comments
1pack	450pcs	3.90 (kgs) 8.60(lb)	575mm X 140mm X 73mm 22.6 in x 5.51in x 2.87 in	one inner box
2packs	900pcs	8.05 (kgs) 17.75(lb)	610mm x 310mm x 190mm 24 in x 12.2 in x 7.5 in	master box with two inner boxes
4packs	1,800pcs	15.85 (kgs) 34.95(lb)	610mm x 310mm x 190mm 24 in x 12.2 in x 7.5 in	master box with four inner boxes
6packs	2,700pcs	23.65 (kgs) 52.15(lb)	610mm x 310 mm x 340mm 24 in x 12.2 in x 13.4 in	master box with six inner boxes

Part VI: Assembly Lot Number Information



6. TOLL TAPE & REEL INFORMATION


Part I: Product Orientation



- -Leader Empty Pockets: 400mm / 35 empty pocket
- -Trailer Empty Pockets: 160mm / 15 empty pocket
- -Quantity per Reel: 2,000pcs


Application Note 0012

Part II: Carrier Tape Dimension



Application Note 0012


Part IV: Box Dimension



Dimensions are in millimeter (inches are in brackets for reference only)

Application Note 0012

Part V: Package POD



Application Note 0012

Part VI: Tape and Reel Packing Information



Tape and Reel Shielding Bag

- 2,000 units / reel

Maximum 1 reel / box

- Place Tape and Reel inside moisture barrier bag

- Seal moisture bag


Part VII: Internal Shipping Box Information



Internal Shipping Box

- Tape internal box closed

- Place Internal Shipping Label



Internal Shipping Box Label

Supplier P/N: Transphorm Part Number

Quantity: Quantity contained inside the box

Date Code: YYWW

Lot Code: Assembly Lot Number

COO: Country of Origin

2D Barcode: Above information encoded

Application Note 0012

Part VIII: External Shipping Box Information



External Shipping Box

- Internal Shipping Boxes inside External Shipping Box
- Number of Internal Boxes ranges from 1 to 3
- Place External Shipping Label

Application Note 0012

FROM: Transphorm, Inc. 75 Castilian Drive Goleta, CA 93117	TO: Customer Name ATTN: Attention TO Customer Address Line 1 Customer Address Line 2 City & Zip Code
(K) PO Number: Sample 	
(1P) Supplier Part Number: TP65H0xxG4QS 	
(Q) Quantity: 2000 	
(4S) Package ID: SO-1288 	
(10D) Data Code: 2310 	(4L) COO: CN 
(1T) Lot Code: E23A001 	
  	

External Shipping Box Label

- **From:** Transphorm shipping address
- **To:** Customer name, Attention TO, and address number
- **PO Number:** Customer Purchase Order Number
- **Supplier Part Number:** Transphorm Part Number
- **Quantity:** Total product quantity contain in external shipping box
- **Package ID:** Transphorm Assigned Number
- **Date Code:** YYWW
- **Lot Code:** Assembly Lot Number
- **COO:** Country of Origin
- **2D Barcode:** Above information encoded

Shipping Box Size and Weight

Shipment	Units	Weight	Size	Comments
1 box	2,000pcs	6.2 (lbs.) 2.81 (kgs.)		FedEx Shipping box
2 boxes	4,000pcs	12.4 (lbs.) 5.62 (kgs.)	14.05 in x 14.84 in x 7.08 in 357 mm x 377mm x 180mm	
3 boxes	6,000pcs	18.6 (lbs.) 8.48 (kgs.)	14.05 in x 14.84 in x 7.08 in 357 mm x 377mm x 180mm	